Corrolink 1000 Minimum Fall: 3° 1000mm Cover Width

Versiciad STRUCTURAL INSULATED PANELS

Quata/Ordar Earm

Minimum Fall: 3° 1000)mm Cover	Width		Quote/	Order	Form	
Date: / /	Order No	.:			Job Name:		
Company Name:					ABN:		
Order Contact Name:				Order C	ontact Phone:		
Order Contact Email:				Date o	order required:		
Invoice Address:				State:		Post Code:	
Delivery Address:				State:		Post Code:	
Site Contact:				Site C	ontact Phone:		
1. Corrolink 10)00 Quot	e / Order	Q	uote:]	Order:	
2. Thickness							
Core Thickness:		50mm	75mm	100mm	125mm	150mm	180mm
Overall Thickness:		67mm	92mm	117mm	142mm	167mm	197mm
3. Roof Colou	r						
Ipine White Off White (*Surfmist)		Gull Grey (*Shale Grey)	Birch Grey (*Dune)	, ,	smin Brown (*Jasper) (*Manor Re		
						Corrosion Resista	nt Option
Gulf Wallaroo Basa (*Gully) (*Wallaby) (*Basa		e+ Caulfield Green) (Cottage Green) +Limited W	(Ironstone) (Monume		Aunicote (Monu (*Monu		ite Armour Grey
			-		UniCote	Coastal [™] only available	e

*Equivalent colour names are trade marks or registered trade marks of BlueScope Steel Limited and used only for comparison. Colour and finish swatches are provided as an indication only and may not be an actual representation of colour or finish. We recommend checking your chosen colour and finish against an actual sample of the product before purchasing.

4. Ceiling				
Pearl White	Cream	Merino	^UniCote Coastal™Pearl White	^ Timber Effect
				(Luxline only)
Smooth Embossed Micraline Luxline	Smooth Micraline Luxline	Smooth Micraline Luxline	Smooth Micraline Luxline	Golden Oak
			Only available with UniCote Coastal™ton skin	Gonach Ouk

Additional LM charge applies UniCote Coastal & Timber Effect, refer pricelist.

with UniCote Coastal[™] ceiling skin.

5. Panel Quantities:

		Top Skin Length	Standard Configurati 60mm Gutter Cutback (From	Cover		
Quantity	@	Top Skin Length Min - 1500mm	Alternatively, pla	ease nominate custom configu	ation below:	Cover
,		Max - 10000mm	Gutter Cutback (Front) Specify Size (mm)	Cutback (Rear) Specify Size (mm)	Lap (Right or Left)	Width
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm

Accessory Order Form

1. Flas	hings							
	Туре	Roof Pitch	Style (please circle)	Colour	Qty.	Length (Max. 8m)	Qty.	Length (Max. 8m)
	Receiver Channel (Please Specify Pitch)		Stepped / Flush	White				
		Max pitch 5'	50mm panel	Pearl white		4.1m		6.1m
	Signature Two Part Reciever Channel	Max pitch 5'	75mm panel	Pearl white		4.1m		6.1m
		Max pitch 5'	100mm panel	Pearl White		4.1m		6.1m
	Top End Capping (Please Specify Pitch)		Stepped / Crush Fold					
	Side Barge Capping N/A		Stepped / Crush Fold					
	Z Gutter Fascia (Please Specify Pitch)		Stepped / Crush Fold					
			50mm panel	Pearl		4m		6m
	Signature Series A Z Flashing Pearl W	/hite (suits	75mm panel	white		4m		6m
	50mm, 75mm or 10	00mm panel)	100mm panel	Pearl white		4m		6m
	Signature Series S Cap		(please specify roof profile)					
	Signature Series Slimline Top End Cap		(please specify roof profile)					
	Ridge Capping (Please Specify Pitch)		N/A					
	Apron Flashing (Please Specify Pitch)		N/A					
Fi	re Flashing - Roof End >	(1000mm (1 x rec	ı. per panel)	White				
Fii	re Flashing - Gutter Enc	l x 1000mm (1 x re	eq. per panel)	White				

Accessory Order Form

۷.	Gutter								
	Туре	Colour	Qty.	Length		Туре	Colour	Qty	Length
	Slotted Square Gutter					Slotted Quad Gutter 125 (Max. 8m)			
ıtter	(Max. 8m)					Quad Gutter Stop Ends (Pair)			
Square Gutter	Square Gutter Stop Ends (Pair)				Quad Gutter	Quad Gutter External Brackets			
01	Square Gutter Brackets (external)				tter	Quad Gutter Internal Brackets			
	Square Gutter Bracket (internal)					Quad Gutter External Corners			45 / 90° (Circle)
ter	Signature Series Blade Gutter					Quad Gutter Internal Corners			45 / 90° (Circle)
Signature Blade Gutter	Signature Series Gutter Stop ends (Pair)			N/A					
e Blac	Signature Series Blade Gutter Corner Assembly			N/A					
Inatur	Signature Blade Gutter - Strap	Zincalume		N/A					
Sig	Signature Series External Bracket			N/A					

3. Downpipes

	Туре	Colour	Qty.		Туре	Colour	Qty.
	Downpipe 2.4m - 100 x 50 Rect.				Downpipe 2.4m - 90mm Round		
tangle	Downpipe Outlet - 100 x 50 Rect.	Galvanised		Rour	Downpipe Outlet - 90mm Round	Galvanised	
Rectan	Downpipe Straps - 100 x 50 Rect.			р	Downpipe Straps - 90mm Round		
	82° Offset - 100 x 50 Rect.				45° Bend - 90mm Round		

Accessory Order Form

4. ACCessories					
Туре	Details	Qty.	Туре	Details	Qty.
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 1m cable)		Eave/Ridge Filler Strip	Versalink 765mm	
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 10m cable)		Fan Fixing Plate (inc. locking nut)	White - 100mm Diameter	
Downlight Dimmer	Specialist LED		Fan Fixing Plate Screws	1 x Profile Fix & 1 x Pan Fix	
Roof Infill Strip	Spacemaker x 1000mm				
Roof Infill Strip	Corrolink 1000 x 1000mm		Purlin Tape	5mm x 40mm - 13m Roll	
Roof Infill Strip	Versalink 1000 x 1000mm		Touch Up Paint	Pearl White Spray Can 150gm	
Roof Infill Strip	Versalink Plus x 1100				
Eave / Ridge Filler Strip	Corrolink 765mm				

Signature LED Light Strip Kit System (Includes materials to install 1 x LED Kit. LED Lights sold seperately)

Туре	Details	Qty.	Cut to Length (please specify length required)
Spacemaker Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill strip		
Spacemaker Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Corrolink 1000 SIgnature LED Light Strip System 4m	Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip EPDM Foam		
Corrolink 1000 Signature LED Light Strip System 6m	Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink 1000 Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink 1000 Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink Plus Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block		
Versalink Plus Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		

LED Light Strip	
Туре	Qty.
LED Light Strip Warm White -3000k 5m	
LED Light Strip Natural White - 4000K 5m	
LED Light Strip Cool White - 5500k 5m	

Custom LED Lengths (longer than 5m)										
Length	Colour	Qty								

Accessory Order Form

5. Screws/Rivets

		e		Painted	Colour	Min Qty.	Туре	Colour	Qty.
	Length	Finish	Qty.	Boxes	(Boxes only)	order 100	Stitching Screws Painted		
	110mm	Galv.		Box = 100			16mm (100pk)		
	125mm	Galv.		Box = 100					
i,×	150mm	Galv.		Box = 100			Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip Rivets Painted white 4.8m dia. x 9.5grip (50 pack)		
Metal Fix	175mm	Galv.		Box = 100					
ž	205mm	Galv.		Box = 100					
	230mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
	125mm	Galv.		Box = 100					
	150mm	Galv.		Box = 100					
Fix	175mm	Galv.		Box = 100					
Timber Fix	200mm	Galv.		Box = 100					
Ë	225mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
	300mm	Galv.		Box = 100					

Versicad Structural INSULATED PANELS

Skylight Strip Order Form

1. Skylight Kit Combinations (Includes materials to install 1 x skylight per kit)								
Туре	Details	Qty.	Cut to Length (please specify length required)					
Corrolink 1000 - 4m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 4000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape							
Corrolink 1000 - 6m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 6000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape							
Corrolink 1000 - 8m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 4 x 4000mm T-Bars Foam Infill Strip Stormtite Stitching Screws Rivets Twinwall Sealer Tape							

Alternatively, you can order items required individually below

2. Fibreglass Top & Twinwall Bottom				3. Accessories				
Type	Length	Qty.	Cut to Length (please specify length required)	Туре		Qty.	Туре	Qty.
Corrolink 1000 Top Fibreglass Strip	4m*			Corrolink 1000 Foam Infill (Strip: 1 x per skylight)			Twinwall Sealer Tape (50m Roll)	
	6m*			Rivets, White - 100 pack			Stitching Screws - 50 pack	
	8m*			3.2mm dia x 9.5mm			Surfmist Storm-Tite 25mm	
Twinwall Diffuser Bottom Strip	4m*			Aluminium T-Bar White - 40 x 50mm	4m 6m		Silicone: Clear/White (Please Circle)	
	6m*							
	8m*			Corrolink 1000 Accessory Bag: Foam Infill Strip 35 x Stormtite Stitching Screws 60 x Rivets 1m Twinwall Sealer Tape				
*Please note: you will be purchasing full lengths. We will cut these to your required lengths and you will be provided with any offcuts.								

What you need:

- Fibreglass profiled top strip (4m, 6m & 8m only) cut to match overall top sheet length, if required
- Twin wall bottom diffuser ceiling strip (4m, 6m & 8m only) cut to match ceiling length, if required
- T-bar aluminium extrusions (4m & 6m only) require 2 x T-Bars per light strip, either side of bottom diffuser strip
- Twin wall seal tape require 460mm for each Skylight
- Foam infills (Spacemaker/Versalink 1000 = 2 piece set per skylight, Corrolink1000 = 1 piece per skylight, cut to size onsite)
- Stormtite Screws fixed through profile/crest at 600mm centres, along both sides of the fibreglass profiled top strip
- Blind Rivets fixed through T-Bar at 300mm centres
- Silicone run bead of silicone along top of horizontal section of T-Bar prior to pressing Twinwall into place and along Z Flashing prior to pressing foam infill into place

Please request and review engineering specifications prior to ordering skylights