

Quote/Order Form

Date:	/ /	Order No.:		Job Name:	
Company Name:				ABN:	
Order Contact Name:				Order Contact Phone:	
Order Contact Email:				Date Order required:	
Invoice Address:				State:	Post Code:
Delivery Address:				State:	Post Code
Site Contact:				Site Contact Phone:	

1. Versalink 1000 (1000mm) Quote / Order	Quote:	☐	Order:	☐	
2. Thickness	☐	☐	☐	☐	☐
Core Thickness:	50mm	75mm	100mm	125mm	150mm
Overall Thickness:	82mm	107mm	132mm	157mm	182mm

3. Roof Colour

☐

Alpine White

☐

Off White
(*Surfmist)

☐

Smooth Cream
(*Classic Cream)

☐

Merino
(*Paperbark)

☐

Gull Grey
(*Shale Grey)

☐

Birch Grey
(*Dune)

☐

Armour Grey
(*Windspray)

☐

Slate Grey
(*Woodland Grey)

☐

Jasmin Brown
(*Jasper)

☐

Heritage Red
(*Manor Red)

☐

Mist Green
(*Pale Eucalypt)

☐

Gulf
(*Gully)

☐

Wallaroo
(*Wallaby)

☐

Basal
(*Basalt)

☐

Mountain Blue+
(Deep Ocean)

☐

Caulfield Green+
(Cottage Green)

☐

Iron Grey+
(Ironstone)

☐

Monolith+
(Monument)

☐

Ebony+
(Night Sky)

+Limited Warranty

☐

UniCote Coastal™
Monolith
(*Monument)

^UniCote Coastal™ only available with UniCote Coastal™ ceiling skin.

☐

UniCote Coastal™
Off White
(*Surfmist)

^UniCote Coastal™ only available with UniCote Coastal™ ceiling skin.

☐

UniCote Coastal™
Armour Grey
(*Windspray)

^UniCote Coastal™ only available with UniCote Coastal™ ceiling skin.

4. Ceiling

☐

Pearl White

☐

Smooth

☐

Embossed

☐

Micraline

☐

Luxline

☐

Cream

☐

Smooth

☐

Micraline

☐

Luxline

☐

Merino

☐

Smooth

☐

Micraline

☐

Luxline

☐

UniCote Coastal™ Pearl White

☐

Smooth

☐

Micraline

☐

Luxline

☐

Timber Effect (Luxline only)

☐

Golden Oak



Only available with UniCote Coastal™ top skin

^ Additional LM charge applies UniCote Coastal & Timber Effect, refer pricelist.

5. Panel Quantities

Quantity	@	Top Skin Length Min - 1500mm Max - 10000mm	Standard Configuration (viewed from gutter end): 60mm Gutter Cutback (Front only)/ Right side Lap (Tick to select) ☐			Cover Width
			Alternatively, please nominate custom configuration below:			
			Gutter Cutback (Front) Specify Size (mm)	Cutback (Rear) Specify Size (mm)	Lap (Right or Left)	
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm
	@					1000mm

1. Flashings

Type		Roof Pitch	Style (please circle)	Colour	Qty.	Length (Max. 8m)	Qty.	Length (Max. 8m)
	Receiver Channel (Please Specify Pitch)		Stepped / Flush	White				
	Signature Two Part Receiver Channel	Max pitch 5'	50mm panel	Pearl white		4.1m		6.1m
		Max pitch 5'	75mm panel	Pearl white		4.1m		6.1m
		Max pitch 5'	100mm panel	Pearl White		4.1m		6.1m
	Top End Capping (Please Specify Pitch)		Stepped / Crush Fold					
	Side Barge Capping	N/A	Stepped / Crush Fold					
	Z Gutter Fascia (Please Specify Pitch)		Stepped / Crush Fold					
	Signature Series Aluminium Z Flashing Pearl White (suits 50mm, 75mm or 100mm panel)		50mm panel	Pearl white		4m		6m
			75mm panel	Pearl white		4m		6m
			100mm panel	Pearl white		4m		6m
	Signature Series Slimline Barge Cap		(please specify roof profile)					
	Signature Series Slimline Top End Cap		(please specify roof profile)					
	Ridge Capping (Please Specify Pitch)		N/A					
	Apron Flashing (Please Specify Pitch)		N/A					
Fire Flashing - Roof End x 1000mm (1 x req. per panel)				White				
Fire Flashing - Gutter End x 1000mm (1 x req. per panel)				White				

2. Gutter

Type					Colour				
Qty.					Length				
Square Gutter	Slotted Square Gutter (Max. 8m)				Quad Gutter	Slotted Quad Gutter 125 (Max. 8m)			
						Quad Gutter Stop Ends (Pair)			
	Square Gutter Stop Ends (Pair)					Quad Gutter External Brackets			
	Square Gutter Brackets (external)					Quad Gutter Internal Brackets			
	Square Gutter Bracket (internal)					Quad Gutter External Corners			45 / 90° (Circle)
Signature Blade Gutter	Signature Series Blade Gutter					Quad Gutter Internal Corners			45 / 90° (Circle)
	Signature Series Gutter Stop ends (Pair)			N/A					
	Signature Series Blade Gutter Corner Assembly			N/A					
	Signature Blade Gutter - Strap	Zincalume		N/A					
	Signature Series External Bracket			N/A					

3. Downpipes

Type				Colour			
Qty.				Length			
Rectangle	Downpipe 2.4m - 100 x 50 Rect.			Round	Downpipe 2.4m - 90mm Round		
	Downpipe Outlet - 100 x 50 Rect.	Galvanised			Downpipe Outlet - 90mm Round	Galvanised	
	Downpipe Straps - 100 x 50 Rect.				Downpipe Straps - 90mm Round		
	82° Offset - 100 x 50 Rect.				45° Bend - 90mm Round		

4. Accessories

Type	Details	Qty.	Type	Details	Qty.
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 1m cable)		Eave/Ridge Filler Strip	Versalink 765mm	
LED Downlight White Bezel, Dimmable	Multi: 3000/4000/5000k (Adjustable, with 10m cable)		Fan Fixing Plate (inc. locking nut)	White - 100mm Diameter	
Downlight Dimmer	Specialist LED		Fan Fixing Plate Screws	1 x Profile Fix & 1 x Pan Fix	
Roof Infill Strip	Spacemaker x 1000mm				
Roof Infill Strip	Corrolink 1000 x 1000mm		Purlin Tape	5mm x 40mm - 13m Roll	
Roof Infill Strip	Versalink 1000 x 1000mm		Touch Up Paint	Pearl White Spray Can 150gm	
Roof Infill Strip	Versalink Plus x 1100				
Eave / Ridge Filler Strip	Corrolink 765mm				

Signature LED Light Strip Kit System (Includes materials to install 1 x LED Kit. LED Lights sold seperately)

Type	Details	Qty.	Cut to Length (please specify length required)
Spacemaker Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill strip		
Spacemaker Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Corrolink 1000 Signature LED Light Strip System 4m	Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip EPDM Foam		
Corrolink 1000 Signature LED Light Strip System 6m	Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink 1000 Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink 1000 Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		
Versalink Plus Signature LED Light Strip System 4m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block		
Versalink Plus Signature LED Light Strip System 6m	Joiner flashing Signature LED Light Strip Extrusion Signature LED Light Strip Diffuser Insulating Foam Block Gutter Infill Strip		

LED Light Strip

Type	Qty.
LED Light Strip Warm White - 3000k 5m	
LED Light Strip Natural White - 4000K 5m	
LED Light Strip Cool White - 5500k 5m	

Custom LED Lengths (longer than 5m)

Length	Colour	Qty

5. Screws/Rivets

Length		Finish	Qty.	Painted Boxes	Colour (Boxes only)	Min Qty. order 100	Type	Colour	Qty.
Metal Fix	110mm	Galv.		Box = 100			Stitching Screws Painted 16mm (100pk)		
	125mm	Galv.		Box = 100			Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip		
	150mm	Galv.		Box = 100					
	175mm	Galv.		Box = 100			Rivets Painted white 4.8m dia. x 9.5grip (50 pack)		
	205mm	Galv.		Box = 100					
	230mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
Timber Fix	125mm	Galv.		Box = 100					
	150mm	Galv.		Box = 100					
	175mm	Galv.		Box = 100					
	200mm	Galv.		Box = 100					
	225mm	Galv.		Box = 100					
	250mm	Galv.		Box = 100					
	300mm	Galv.		Box = 100					

1. Skylight Kit Combinations *(Includes materials to install 1 x skylight per kit)*

Type	Details	Qty.	Cut to Length (please specify length required)
Versalink 1000 - 4m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape		
Versalink 1000 - 6m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 2 x 6000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape		
Versalink 1000 - 8m Kit	Top Fibreglass Strip Twinwall Bottom Diffuser Strip 4 x 4000mm T-Bars Foam Infill Pair Stormtite Stitching Screws Rivets Twinwall Sealer Tape		

Alternatively, you can order items required individually below:

2. Fibreglass Top & Twinwall Bottom

Type	Length	Qty.	Cut to Length (please specify length required)
Versalink 1000 Top Fibreglass Strip	4m*		
	6m*		
	8m*		
Twinwall Diffuser Bottom Strip	4m*		
	6m*		
	8m*		

*Please note: you will be purchasing full lengths. We will cut these to your required lengths and you will be provided with any offcuts.

3. Accessories

Type	Qty.	Type	Qty.
Versalink 1000 Foam Infill (Pair: Front & Back)		Twinwall Sealer Tape (50m Roll)	
Rivets, White - 100 pack 3.2mm dia x 9.5mm		Stitching Screws - 50 pack Surfmist Storm-Tite 25mm	
Aluminium T-Bar White - 40 x 50mm	4m 6m	Silicone: Clear/White (Please Circle)	
Versalink 1000 Accessory Bag: Foam Infill Pair 35 x Stormtite Stitching Screws 60 x Rivets 1m Twinwall Sealer Tape			

What you need:

- Fibreglass profiled top strip (4m, 6m & 8m only) - cut to match overall top sheet length, if required
- Twin wall bottom diffuser ceiling strip (4m, 6m & 8m only) - cut to match ceiling length, if required
- T-bar aluminium extrusions (4m & 6m only) - require 2 x T-Bars per light strip, either side of bottom diffuser strip
- Twin wall seal tape - require 460mm for each Skylight
- Foam infills (Spacemaker/Versalink 1000 = 2 piece set per skylight, Corrolink 1000 = 1 piece per skylight, cut to size onsite)
- Stormtite Screws - fixed through profile/crest at 600mm centres, along both sides of the fibreglass profiled top strip
- Blind Rivets - fixed through T-Bar at 300mm centres
- Silicone - run bead of silicone along top of horizontal section of T-Bar prior to pressing Twinwall into place and along Z Flashing prior to pressing foam infill into place

Please request and review engineering specifications prior to ordering skylights

